

# **DEVICE USED TO PURIFY AIR AND KEEP CLEANLY THE DUCT OF HOT AIR SYSTEM OR CENTRAL AIR EXCHANGER.**

## **BACKGROUND OF THE INVENTION:**

### **1) *Field of the invention:***

The present invention relates to a device used to purify air and keep cleanly the duct of hot air system or central air exchanger.

### **2) *Description of the related art:***

A search of prior art records has unveiled the following United States patents:

1. No 4,804,392 issued in 1989 to Spengler;
2. No 4,552,657 issued in 1985 to Ogawa;
3. No 4,666,531 issued in 1987 to Minard.

The patents to Spengler, Ogawa and Minard are probably the most relevant. As can be seen, the patents do not show a device used to purify air and keep cleanly the duct of hot air system or central air exchanger, which is installed into the duct inlet inhaling air of the indoor from the house.

## **SUMMARY OF THE INVENTION:**

The gist of the invention is therefore to provide a device adapted for any hot air system or central air exchanger allowing to purify air and keep cleanly the duct.

The present invention shows a device having the shape of a cone, which can be installed into the square, rectangular or round duct inlet inhaling air of the indoor from the house, and which a fixing means is adapted to the shape of round, square or rectangular duct inlet.

## **DEVICE USED TO PURIFY AIR AND KEEP CLEANLY THE DUCT OF HOT AIR SYSTEM OR CENTRAL AIR EXCHANGER.**

### **BRIEF DESCRIPTION OF THE SEVERAL VIEWS OF THE DRAWING(S):**

Figure 1 is a perspective view of device having the shape of cone installed into the round duct inlet inhaling air of the indoor from the house, and which a fixing means is adapted to the shape of round duct inlet.

Figure 2 is a perspective exploded view of device having the shape of cone installed into the round duct inlet inhaling air of the indoor from the house, and which the fixing means is adapted to the shape of round duct inlet.

Figure 3 is a perspective view of device having the shape of cone installed into the square duct inlet inhaling air of the indoor from the house, and which a fixing means is adapted to the shape of square duct inlet.

Figure 4 is a perspective exploded view of device having the shape of cone installed into the square duct inlet inhaling air of the indoor from the house, and which the fixing means is adapted to the shape of square duct inlet.

Figure 5 is a perspective view of device having the shape of cone installed into the rectangular duct inlet inhaling air of the indoor from the house, and which a fixing means is adapted to the shape of rectangular duct inlet.

Figure 6 is a perspective exploded view of device having the shape of cone installed into the rectangular duct inlet inhaling air of the indoor from the house, and which the fixing means is adapted to the shape of rectangular duct inlet.

### **DETAILED DESCRIPTION OF THE INVENTION:**

As shown in figures 1, 2, 3, 4, 5 and 6 a device used to purify air and keep cleanly

## **DEVICE USED TO PURIFY AIR AND KEEP CLEANLY THE DUCT OF HOT AIR SYSTEM OR CENTRAL AIR EXCHANGER.**

the duct of hot air system or central air exchanger , is made up of a filter (1) having the shape of a cone, which can be installed into the square, rectangular or round duct inlet inhaling air of the indoor from the house, and which a fixing means is adapted to the shape of round, square or rectangular duct inlet. As shown in figures 1 and 2, the filter (1) is installed into the round duct inlet inhaling air of the indoor from the house, and which a fixing means (2) is adapted to the shape of round duct inlet. As shown in figures 3 and 4, the filter (1) is installed into the square duct inlet inhaling air of the indoor from the house, and which a fixing means (3) is adapted to the shape of square duct inlet. As shown in figures 5 and 6, the filter (1) is installed into the rectangular duct inlet inhaling air of the indoor from the house, and which the fixing means (3) is adapted to the shape of rectangular duct inlet.